

CAREADVANTAGE (CMC/MMP) 2020

| A | |
|--|--------------------------|
| <i>abacavir 20 mg/ml solution</i> | 900 / 30 DAYS |
| <i>abacavir 300 mg tablet</i> | 60 / 30 DAYS |
| <i>abacavir-lamivudine 600-300 mg</i> | 30 / 30 DAYS |
| <i>abacavir-lamivudine-zidov tab</i> | 60 / 30 DAYS |
| ABILIFY MAINTENA (ER 300 MG VL, ER 300 MG SYR, ER 400 MG SYR, ER 400 MG VL) | 1 / 28 DAYS |
| <i>abiraterone acetate 250 mg tab</i> | 120 / 30 DAYS |
| <i>ace aerosol cloud enhancer</i> | 1 / 365 DAYS OVER TIME |
| <i>acetaminophen-cod #2 tablet</i> | 390 / 30 DAYS OVER TIME |
| <i>acetaminophen-cod #3 tablet</i> | 360 / 30 DAYS OVER TIME |
| <i>acetaminophen-cod #4 tablet</i> | 180 / 30 DAYS OVER TIME |
| <i>acetaminophen-codeine (acetamin-codein 300-30 mg/12.5, acetaminop-codeine 120-12 mg/5)</i> | 5000 / 30 DAYS OVER TIME |
| ADEMPAS (0.5 MG TABLET, 1 MG TABLET, 1.5 MG TABLET, 2 MG TABLET, 2.5 MG TABLET) | 90 / 30 DAYS |
| ADMELOG 100 UNIT/ML VIAL | 60 / 30 DAYS |
| ADMELOG SOLOSTAR 100 UNIT/ML | 60 / 30 DAYS |
| <i>aerochamber mini</i> | 1 / 365 DAYS OVER TIME |
| <i>aerochamber mv hold chamber</i> | 1 / 365 DAYS OVER TIME |
| <i>aerochamber plus flow-vu (, large, med, small)</i> | 1 / 365 DAYS OVER TIME |
| <i>aerochamber plus w-flowsignal</i> | 1 / 365 DAYS OVER TIME |
| <i>aerochamber z-stat plus (plus large, plus w-flow, plus-med, plus-small)</i> | 1 / 365 DAYS OVER TIME |
| <i>aerogear asthma action kit</i> | 1 / 365 DAYS OVER TIME |
| <i>aerotrach holding chamber</i> | 1 / 365 DAYS OVER TIME |
| <i>aerovent plus holding chamber</i> | 1 / 365 DAYS OVER TIME |
| AFINITOR 10 MG TABLET | 30 / 30 DAYS |
| AFINITOR DISPERZ (2 MG TABLET, 3 MG TABLET) | 30 / 30 DAYS |
| AFINITOR DISPERZ 5 MG TABLET | 60 / 30 DAYS |
| AIMOVIG 140 MG DOSE-2 AUTOINJ | 2 ML / 30 DAYS |
| AIMOVIG 140 MG/ML AUTOINJECTOR | 1 / 30 DAYS |
| AIMOVIG 70 MG/ML AUTOINJECTOR | 2 ML / 30 DAYS |
| ALECENSA 150 MG CAPSULE | 240 / 30 DAYS |
| <i>alogliptin (6.25 mg tablet, 12.5 mg tablet, 25 mg tablet)</i> | 30 / 30 DAYS |
| <i>alogliptin-metformin (12.5-500, 12.5-1000)</i> | 60 / 30 DAYS |
| <i>alogliptin-pioglitazone (12.5-45 mg, 12.5-30 mg, 12.5-15 mg, 25-30 mg tb, 25-45 mg tb, 25-15 mg tb)</i> | 30 / 30 DAYS |
| <i>alosetron hcl (0.5 mg tablet, 1 mg tablet)</i> | 62 / 31 DAYS |
| <i>alprazolam (0.25 mg tablet, 0.5 mg tablet, 1 mg tablet, 2 mg tablet)</i> | 120 / 30 DAYS |
| ALUNBRIG (90 MG-180 MG TAB PACK, 90 MG TABLET, 180 MG TABLET) | 30 / 30 DAYS |
| ALUNBRIG 30 MG TABLET | 180 / 30 DAYS |
| <i>alyq 20 mg tablet</i> | 60 / 30 DAYS |
| AMITIZA (8 MCG CAPSULE, 24 MCG CAPSULES) | 60 / 30 DAYS |
| ANORO ELLIPTA 62.5-25 MCG INH | 60 / 30 DAYS |
| ANZEMET (50 MG TABLET, 100 MG TABLET) | 3 / 31 DAYS OVER TIME |
| <i>aprepitant 125 mg capsule</i> | 4 / 31.0 DAYS OVER TIME |
| <i>aprepitant 125-80-80 mg pack</i> | 12 / 31.0 DAYS OVER TIME |

| A | |
|---|--------------------------|
| <i>aprepitant 40 mg capsule</i> | 16 / 31.0 DAYS OVER TIME |
| <i>aprepitant 80 mg capsule</i> | 8 / 31.0 DAYS OVER TIME |
| APTIVUS 100 MG/ML SOLUTION | 380 / 30 DAYS |
| APTIVUS 250 MG CAPSULE | 120 / 30 DAYS |
| ARANESP (10 ML, 40 ML, 200 ML) | 1.6 / 28 DAYS |
| ARANESP (25 MCG/ML VIAL, 40 MCG/ML VIAL, 60 MCG/ML VIAL, 100 MCG/ML VIAL, 200 MCG/ML VIAL, 300 MCG/ML VIAL) | 4 / 28 DAYS |
| ARANESP (60 ML, 150 ML) | 1.2 / 28 DAYS |
| ARANESP 100 MCG/0.5 ML SYRINGE | 2 / 28 DAYS |
| ARANESP 25 MCG/0.42 ML SYRINGE | 1.68 / 28 DAYS |
| ARANESP 300 MCG/0.6 ML SYRINGE | 2.4 / 28 DAYS |
| ARANESP 500 MCG/1 ML SYRINGE | 1 / 21 DAYS |
| <i>aripiprazole (2 mg tablet, 5 mg tablet, 10 mg tablet, 15 mg tablet, 20 mg tablet, 30 mg tablet)</i> | 30 / 30 DAYS |
| <i>aripiprazole 1 mg/ml solution</i> | 900 / 30 DAYS |
| ARISTADA INITIO ER 675 MG/2.4 | 2.4 / 180 DAYS OVER TIME |
| <i>armodafinil (50 mg tablet, 150 mg tablet, 200 mg tablet, 250 mg tablet)</i> | 30 / 30 DAYS |
| <i>asa-butalb-caff-cod #3 capsule</i> | 180 / 30 DAYS OVER TIME |
| ASMANEX (TWISTHALER 220 MCG #30, TWISTHALER 220 MCG #60, TWISTHALR 220 MCG #120) | 4 / 30 DAYS |
| <i>asthmapack children's care kit</i> | 1 / 365 DAYS OVER TIME |
| <i>atazanavir sulfate (150 mg cap, 200 mg cap)</i> | 60 / 30 DAYS |
| <i>atazanavir sulfate 300 mg cap</i> | 30 / 30 DAYS |
| <i>atomoxetine hcl (10 mg capsule, 18 mg capsule, 25 mg capsule, 40 mg capsule, 60 mg capsule, 80 mg capsule, 100 mg capsule)</i> | 30 / 30 DAYS |
| ATRIPLA TABLET | 30 / 30 DAYS |
| AUBAGIO (7 MG TABLET, 14 MG TABLET) | 30 / 30 DAYS |
| AURYXIA 210 MG TABLET | 360 / 30 DAYS |
| AVONEX (30 MCG VIAL KIT, PREFILLED SYR 30 MCG KT) | 4 / 28 DAYS |
| AVONEX PEN 30 MCG/0.5 ML KIT | 4 / 28 DAYS |
| B | |
| BALVERSA 3 MG TABLET | 90 / 30 DAYS |
| BALVERSA 4 MG TABLET | 60 / 30 DAYS |
| BALVERSA 5 MG TABLET | 30 / 30 DAYS |
| BANZEL (200 MG TABLET, 400 MG TABLET) | 240 / 30 DAYS |
| BANZEL 40 MG/ML SUSPENSION | 2400 ML / 30 DAYS |
| BELSOMRA (5 MG TABLET, 10 MG TABLET, 15 MG TABLET, 20 MG TABLET) | 30 / 30 DAYS |
| BETASERON 0.3 MG KIT | 15 / 28 DAYS |
| <i>bexarotene 75 mg capsule</i> | 300 / 30 DAYS |
| BIKTARVY 50-200-25 MG TABLET | 30 / 30 DAYS |
| <i>bimatoprost 0.03% eye drops</i> | 5 ML / 28 DAYS |
| <i>bosentan (62.5 mg tablet, 125 mg tablet)</i> | 62 / 31 DAYS |
| BOSULIF (400 MG TABLET, 500 MG TABLET) | 30 / 30 DAYS |
| BOSULIF 100 MG TABLET | 180 / 30 DAYS |
| BRAFTOVI 50 MG CAPSULE | 120 / 30 DAYS |
| BRAFTOVI 75 MG CAPSULE | 180 / 30 DAYS |
| <i>breatherite mdi spacer</i> | 1 / 365 DAYS OVER TIME |

| B | |
|--|--------------------------|
| <i>breatherite spacer-adult mask</i> | 1 / 365 DAYS OVER TIME |
| <i>breatherite spacer-infant mask</i> | 1 / 365 DAYS OVER TIME |
| <i>breatherite spacer-lg chld msk</i> | 1 / 365 DAYS OVER TIME |
| <i>breatherite spacer-neonate msk</i> | 1 / 365 DAYS OVER TIME |
| <i>breatherite spacer-sm chld msk</i> | 1 / 365 DAYS OVER TIME |
| <i>breathrite (chamber, spacer)</i> | 1 / 365 DAYS OVER TIME |
| BRUKINSA 80 MG CAPSULE | 120 / 30 DAYS |
| <i>buprenorphine (5, 7.5, 10, 15, 20)</i> | 4 / 28 DAYS |
| C | |
| CABOMETYX (20 MG TABLET, 40 MG TABLET, 60 MG TABLET) | 30 / 30 DAYS |
| CALQUENCE 100 MG CAPSULE | 60 / 30 DAYS |
| CAPITAL WITH CODEINE SUSP | 5000 / 30 DAYS OVER TIME |
| CAPRELSA 100 MG TABLET | 60 / 30 DAYS |
| CAPRELSA 300 MG TABLET | 30 / 30 DAYS |
| <i>carisoprodol-aspirin 200-325 mg</i> | 240 / 30 DAYS OVER TIME |
| <i>carisoprodol 250 mg tablet</i> | 120 / 30 DAYS |
| <i>carisoprodol 350 mg tablet</i> | 120 / 30 DAYS OVER TIME |
| <i>carisoprodol compound tab</i> | 240 / 30 DAYS OVER TIME |
| <i>celecoxib (100 mg capsule, 200 mg capsule)</i> | 62 / 31 DAYS |
| <i>celecoxib 400 mg capsule</i> | 30 / 30 DAYS |
| <i>celecoxib 50 mg capsule</i> | 60 / 30 DAYS |
| CHANTIX (0.5 MG TABLET, 1 MG TABLET) | 60 / 30 DAYS |
| CHANTIX 1 MG CONT MONTH BOX | 56 / 28 DAYS |
| CHANTIX STARTING MONTH BOX | 53 / 28 DAYS |
| <i>chlordiazepoxide hcl (5 mg capsule, 10 mg capsule, 25 mg capsule)</i> | 120 / 30 DAYS |
| CIMDUO 300-300 MG TABLET | 30 / 30 DAYS |
| <i>cinacalcet hcl (30 mg tablet, 60 mg tablet, 90 mg tablet)</i> | 120 / 30 DAYS |
| CLARINEX-D 12 HOUR TABLET | 60 / 30 DAYS |
| <i>clever choice holding chamber (chamber-lrg, chamber-med, chamber-sm)</i> | 1 / 365 DAYS OVER TIME |
| <i>clobazam (10 mg tablet, 20 mg tablet)</i> | 60 / 30 DAYS |
| <i>clobazam 2.5 mg/ml suspension</i> | 480 ML / 30 DAYS |
| <i>clonazepam (0.125 mg odt, 0.125 mg dis tab, 0.25 mg odt, 0.5 mg dis tablet, 0.5 mg tablet, 0.5 mg odt, 1 mg tablet, 1 mg odt, 1 mg dis tablet, 2 mg odt, 2 mg tablet)</i> | 120 / 30 DAYS |
| <i>clorazepate dipotassium (3.75 mg tablet, 7.5 mg tablet, 15 mg tablet)</i> | 120 / 30 DAYS |
| <i>colchicine (0.6 mg capsule, 0.6 mg tablet)</i> | 120 / 30 DAYS OVER TIME |
| COMBIGAN 0.2%-0.5% EYE DROPS | 10 ML / 28 DAYS |
| COMETRIQ 100 MG DAILY-DOSE PK | 56 / 28 DAYS |
| COMETRIQ 140 MG DAILY-DOSE PK | 112 / 28 DAYS |
| COMETRIQ 60 MG DAILY-DOSE PACK | 84 / 28 DAYS |
| <i>compact space chamber (chamber, chamber-lrg mask, chamber-med mask, chamber-sm mask)</i> | 1 / 365 DAYS OVER TIME |
| <i>compact space chamber plus</i> | 1 / 365 DAYS OVER TIME |
| COMPLERA TABLET | 30 / 30 DAYS |
| COPIKTRA (15 MG CAPSULE, 25 MG CAPSULE) | 60 / 30 DAYS |
| COTELLIC 20 MG TABLET | 63 / 21 DAYS |

| D | |
|--|--------------------------|
| <i>dalfampridine er 10 mg tablet</i> | 60 / 30 DAYS |
| <i>darifenacin er (er 7.5 mg tablet, er 15 mg tablet)</i> | 1 / 1 DAYS |
| DAURISMO 100 MG TABLET | 30 / 30 DAYS |
| DAURISMO 25 MG TABLET | 60 / 30 DAYS |
| DELSTRIGO 100-300-300 MG TAB | 30 / 30 DAYS |
| DESCOVY 200-25 MG TABLET | 30 / 30 DAYS |
| <i>desloratadine (2.5 mg odt, 5 mg tablet, 5 mg odt)</i> | 30 / 30 DAYS |
| <i>dexmethylphenidate hcl (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | 90 / 30 DAYS |
| <i>dexmethylphenidate hcl er (er 5 mg cap, er 10 mg cp, er 15 mg cp, er 20 mg cp, er 25 mg cp, er 30 mg cp, er 35 mg cp, er 40 mg cp)</i> | 30 / 30 DAYS |
| <i>dextroamp-amphetamin 30 mg tab</i> | 60 / 30 DAYS |
| <i>dextroamphetamine er 10 mg cap</i> | 60 / 30 DAYS |
| <i>dextroamphetamine er 15 mg cap</i> | 120 / 30 DAYS |
| <i>dextroamphetamine er 5 mg cap</i> | 30 / 30 DAYS |
| <i>dextroamphetamine sulfate (5 mg tab, 10 mg tab)</i> | 180 / 30 DAYS |
| <i>dextroamphetamine-amphet er (er 20 mg cap, er 25 mg cap, er 30 mg cap)</i> | 60 / 30 DAYS |
| <i>dextroamphetamine-amphet er (er 5 mg cap, er 10 mg cap, er 15 mg cap)</i> | 30 / 30 DAYS |
| <i>dextroamphetamine-amphetamine (dextroamp-amphetam 7.5 mg tab, dextroamp-amphetam 12.5 mg tab, dextroamp-amphetamin 10 mg tab, dextroamp-amphetamin 15 mg tab, dextroamp-amphetamin 20 mg tab, dextroamp-amphetamine 5 mg tab)</i> | 90 / 30 DAYS |
| <i>diazepam (2 mg tablet, 5 mg tablet, 10 mg tablet)</i> | 120 / 30 DAYS |
| <i>diazepam (5 ml oral soln, 5 ml solution)</i> | 1200 ML / 30 DAYS |
| <i>diazepam 5 mg/ml oral conc</i> | 240 / 30 DAYS |
| <i>diethylpropion 25 mg tablet</i> | 90 / 30 DAYS |
| <i>diethylpropion er 75 mg tablet</i> | 30 / 30 DAYS |
| <i>dihydroergotamine 4 mg/ml spry</i> | 8 / 28 DAYS OVER TIME |
| <i>dorzolamide-timolol eye drops</i> | 10 ML / 28 DAYS |
| DOVATO 50-300 MG TABLET | 30 / 30 DAYS |
| DRIZALMA SPRINKLE (DR 20 MG CAP, DR 30 MG CAP, DR 40 MG CAP, DR 60 MG CAP) | 30 / 30 DAYS |
| <i>duloxetine hcl (dr 20 mg cap, dr 30 mg cap, dr 40 mg cap, dr 60 mg cap)</i> | 60 / 30 DAYS |
| E | |
| <i>e-z spacer</i> | 1 / 365 DAYS OVER TIME |
| <i>easivent holding chamber</i> | 1 / 365 DAYS OVER TIME |
| EDURANT 25 MG TABLET | 30 / 30 DAYS |
| <i>efavirenz (200 mg capsule, 600 mg tablet)</i> | 60 / 30 DAYS |
| ELIGARD 22.5 MG SYRINGE KIT | 1 / 84 DAYS OVER TIME |
| ELIGARD 30 MG SYRINGE KIT | 1 / 112 DAYS OVER TIME |
| ELIGARD 45 MG SYRINGE KIT | 1 / 168 DAYS OVER TIME |
| ELIGARD 7.5 MG SYRINGE KIT | 1 / 28 DAYS OVER TIME |
| ELIQUIS 2.5 MG TABLET | 60 / 30 DAYS |
| ELIQUIS 5 MG TABLET | 74 / 30 DAYS |
| ELIQUIS DVT-PE TREAT START 5MG | 148 / 365 DAYS OVER TIME |
| EMGALITY 120 MG/ML PEN | 7 / 180 DAYS OVER TIME |
| EMGALITY 120 MG/ML SYRINGE | 7 / 180 DAYS OVER TIME |
| EMGALITY 300 MG (100 MG X3SYR) | 3 / 30 DAYS OVER TIME |
| EMSAM (9, 12) | 30 / 30 DAYS |
| EMSAM 6 MG/24 HOURS PATCH | 60 / 30 DAYS |

| E | |
|--|---------------------------|
| EMTRIVA 10 MG/ML SOLUTION | 720 / 30 DAYS |
| EMTRIVA 200 MG CAPSULE | 30 / 30 DAYS |
| <i>endocet 5-325 tablet</i> | 120 / 30 DAYS OVER TIME |
| <i>enoxaparin 30 mg/0.3 ml syr</i> | 12 / 180 DAYS OVER TIME |
| <i>enoxaparin 40 mg/0.4 ml syr</i> | 14 / 180 DAYS OVER TIME |
| <i>enoxaparin 60 mg/0.6 ml syr</i> | 16.8 / 180 DAYS OVER TIME |
| <i>enoxaparin sodium (100 mg/ml, 150 mg/ml)</i> | 28 / 180 DAYS OVER TIME |
| <i>enoxaparin sodium (80 ml, 120 ml)</i> | 22.4 / 180 DAYS OVER TIME |
| <i>entecavir (0.5 mg tablet, 1 mg tablet)</i> | 31 / 31 DAYS |
| ENTRESTO (24 MG-26 MG TABLET, 49 MG-51 MG TABLET, 97 MG-103 MG TABLET) | 60 / 30 DAYS |
| <i>epinephrine 0.15 mg auto-inject - impax generics</i> | 2.2 / 31 DAYS |
| <i>epinephrine 0.15 mg auto-inject - lineage impax g</i> | 2.2 / 31 DAYS |
| <i>epinephrine 0.15 mg auto-inject - mylan specialty</i> | 2.2 / 31 DAYS |
| <i>epinephrine 0.3 mg auto-inject</i> | 2.2 / 31 DAYS |
| <i>epinephrine 0.3 mg auto-inject - lineage impax g</i> | 2.2 / 31 DAYS |
| <i>epinephrine 0.3 mg auto-inject - impax generics</i> | 2.2 / 31 DAYS |
| <i>epinephrine 0.3 mg auto-inject - lineage impax g</i> | 2.2 / 31 DAYS |
| <i>epinephrine 0.3 mg auto-inject - mylan specialty</i> | 2.2 / 31 DAYS |
| ERIVEDGE 150 MG CAPSULE | 30 / 30 DAYS |
| ERLEADA 60 MG TABLET | 120 / 30 DAYS |
| <i>erlotinib hcl (25 mg tablet, 100 mg tablet, 150 mg tablet)</i> | 30 / 30 DAYS |
| ESBRIET (267 MG TABLET, 267 MG CAPSULE) | 270 / 30 DAYS |
| ESBRIET 801 MG TABLET | 90 / 30 DAYS |
| <i>eszopiclone (1 mg tablet, 2 mg tablet, 3 mg tablet)</i> | 30 / 30 DAYS |
| <i>everolimus (2.5 mg tablet, 5 mg tablet, 7.5 mg tablet)</i> | 30 / 30 DAYS |
| EVOTAZ 300 MG-150 MG TABLET | 30 / 30 DAYS |
| <i>ezetimibe 10 mg tablet</i> | 30 / 30 DAYS |
| <i>ezetimibe-simvastatin (10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg)</i> | 30 / 30 DAYS |
| F | |
| FANAPT (1 MG TABLET, 2 MG TABLET, 4 MG TABLET, 6 MG TABLET, 8 MG TABLET, 10 MG TABLET, 12 MG TABLET) | 60 / 30 DAYS |
| FANAPT TITRATION PACK | 8 / 28 DAYS |
| FARESTON 60 MG TABLET | 30 / 30 DAYS |
| FARYDAK (10 MG CAPSULE, 15 MG CAPSULE, 20 MG CAPSULE) | 6 / 21 DAYS |
| <i>febuxostat (40 mg tablet, 80 mg tablet)</i> | 30 / 30 DAYS |
| <i>fentanyl (12, 25, 50, 75, 100)</i> | 10 / 30 DAYS |
| <i>fentanyl citrate (cit 1,200 mcg, cit 1,600 mcg, citrate 200 mcg, citrate 400 mcg, citrate 600 mcg, citrate 800 mcg)</i> | 120 / 30 DAYS OVER TIME |
| FIRMAGON 2 X 120 MG KIT | 4 / 365 DAYS OVER TIME |
| FIRMAGON 80 MG KIT | 1 / 28 DAYS OVER TIME |
| <i>flexichamber</i> | 1 / 365 DAYS OVER TIME |
| FLOVENT HFA (44 MCG, 110 MCG) | 12 / 30 DAYS |
| FLOVENT HFA 220 MCG INHALER | 24 / 30 DAYS |
| <i>fluticasone-salmeterol (100-50, 250-50, 500-50)</i> | 60 / 30 DAYS |

| F | |
|--|-------------------------|
| <i>fluticasone-salmeterol (55-14, 113-14, 232-14)</i> | 1 / 30 DAYS |
| <i>fondaparinux 2.5 mg/0.5 ml syr</i> | 15 / 30 DAYS OVER TIME |
| <i>fondaparinux 7.5 mg/0.6 ml syr</i> | 18 / 30 DAYS OVER TIME |
| <i>fondaparinux sodium (5 mg/0.4 ml, 10 mg/0.8 ml)</i> | 24 / 180 DAYS OVER TIME |
| <i>fosamprenavir 700 mg tablet</i> | 120 / 30 DAYS |
| FRAGMIN (2,500 UNITS/0.2 ML SYR, 5,000 UNITS/0.2 ML SYR, 7,500 UNITS/0.3 ML SYR, 10,000 UNITS/ML SYRING, 12,500 UNITS/0.5 ML, 15,000 UNITS/0.6 ML, 18,000 UNITS/0.72 ML, 95,000 UNITS/3.8 ML VL) | 14 / 180 DAYS OVER TIME |
| FUZEON 90 MG VIAL | 60 / 30 DAYS |

| G | |
|---|---------------|
| GENVOYA TABLET | 30 / 30 DAYS |
| GILENYA 0.5 MG CAPSULE | 30 / 30 DAYS |
| GILOTRIF (20 MG TABLET, 30 MG TABLET, 40 MG TABLET) | 30 / 30 DAYS |
| <i>glatiramer 20 mg/ml syringe</i> | 30 / 30 DAYS |
| <i>glatiramer 40 mg/ml syringe</i> | 12 / 28 DAYS |
| <i>glatopa 20 mg/ml syringe</i> | 30 / 30 DAYS |
| <i>glatopa 40 mg/ml syringe</i> | 12 / 28 DAYS |
| <i>glimepiride 1 mg tablet</i> | 240 / 30 DAYS |
| <i>glimepiride 2 mg tablet</i> | 120 / 30 DAYS |
| <i>glimepiride 4 mg tablet</i> | 60 / 30 DAYS |
| <i>glipizide 10 mg tablet</i> | 120 / 30 DAYS |
| <i>glipizide 5 mg tablet</i> | 240 / 30 DAYS |
| <i>glipizide er 10 mg tablet</i> | 60 / 30 DAYS |
| <i>glipizide er 2.5 mg tablet</i> | 240 / 30 DAYS |
| <i>glipizide er 5 mg tablet</i> | 120 / 30 DAYS |
| <i>glipizide xl 10 mg tablet</i> | 60 / 30 DAYS |
| <i>glipizide xl 2.5 mg tablet</i> | 240 / 30 DAYS |
| <i>glipizide xl 5 mg tablet</i> | 120 / 30 DAYS |
| <i>glipizide-metformin (2.5-500 mg, 5-500 mg)</i> | 120 / 30 DAYS |
| <i>glipizide-metformin 2.5-250 mg</i> | 240 / 30 DAYS |
| <i>glyburid-metformin 1.25-250 mg</i> | 240 / 30 DAYS |
| <i>glyburide (1.25 mg tablet, 5 mg tablet)</i> | 120 / 30 DAYS |
| <i>glyburide 2.5 mg tablet</i> | 240 / 30 DAYS |
| <i>glyburide micro 1.5 mg tab</i> | 240 / 30 DAYS |
| <i>glyburide micro 3 mg tablet</i> | 120 / 30 DAYS |
| <i>glyburide micro 6 mg tablet</i> | 60 / 30 DAYS |
| <i>glyburide-metformin hcl (2.5-500 mg, 5-500 mg)</i> | 120 / 30 DAYS |
| <i>granisetron hcl 1 mg tablet</i> | 60 / 30 DAYS |

| H | |
|-------------------------------------|-------------------------|
| HERCEPTIN HYLECTA 600MG-10,000 | 5 / 21 DAYS OVER TIME |
| HUMALOG 100 UNITS/ML CARTRIDGE | 60 ML / 30 DAYS |
| HUMALOG 200 UNITS/ML KWIKPEN | 60 ML / 30 DAYS |
| HUMALOG JR 100 UNIT/ML KWIKPEN | 60 ML / 30 DAYS |
| HUMALOG MIX 50-50 KWIKPEN | 60 ML / 30 DAYS |
| HUMALOG MIX 50-50 VIAL | 60 ML / 30 DAYS |
| HUMALOG MIX 75-25 KWIKPEN | 60 ML / 30 DAYS |
| HUMALOG MIX 75-25 VIAL | 60 ML / 30 DAYS |
| <i>hydrocodone-acetamin 7.5-300</i> | 180 / 30 DAYS OVER TIME |

| H | |
|---|--------------------------|
| <i>hydrocodone-acetaminophen (5-325 mg, 5-300 mg, 7.5-325, 10-325 mg, 10-300 mg)</i> | 120 / 30 DAYS OVER TIME |
| <i>hydrocodone-acetaminophen (hydrocodone-acetamin 2.5-108/5, hydrocodone-acetamin 5-217/10, hydrocodone-acetamin 7.5-325/15)</i> | 2900 / 30 DAYS OVER TIME |
| <i>hydrocodone-ibuprofen 7.5-200</i> | 150 / 30 DAYS OVER TIME |
| <i>hydrocort-pramoxine 2.5-1% crm</i> | 30 / 30 DAYS OVER TIME |
| <i>hydromorphone hcl (2 mg tablet, 4 mg tablet, 8 mg tablet)</i> | 240 / 30 DAYS OVER TIME |
| <i>hydroxyprogesterone 250 mg/ml vial</i> | 4 / 28 DAYS OVER TIME |
| <i>hydroxyprogesterone caproate (hydroxyprogesterone 1,250 mg/5 ml, hydroxyprogesterone 1.25 g/5ml)</i> | 5 / 35 DAYS OVER TIME |
| I | |
| <i>ibandronate sodium 150 mg tab</i> | 1 / 28 DAYS |
| IBRANCE (75 MG CAPSULE, 100 MG CAPSULE, 125 MG CAPSULE) | 21 / 28 DAYS |
| ICLUSIG (15 MG TABLET, 45 MG TABLET) | 30 / 30 DAYS |
| IDHIFA (50 MG TABLET, 100 MG TABLET) | 30 / 30 DAYS |
| <i>imatinib mesylate 100 mg tab</i> | 240 / 30 DAYS |
| <i>imatinib mesylate 400 mg tab</i> | 60 / 30 DAYS |
| IMBRUVICA (70 MG CAPSULE, 140 MG TABLET, 280 MG TABLET, 420 MG TABLET, 560 MG TABLET) | 30 / 30 DAYS |
| IMBRUVICA 140 MG CAPSULE | 120 / 30 DAYS |
| INLYTA 1 MG TABLET | 210 / 30 DAYS |
| INLYTA 5 MG TABLET | 120 / 30 DAYS |
| INREBIC 100 MG CAPSULE | 120 / 30 DAYS |
| <i>inspirachamber (, with mask-large, with mask-med, with mask-small)</i> | 1 / 365 DAYS OVER TIME |
| <i>insulin aspart 100 unit/ml crt</i> | 60 ML / 30 DAYS |
| <i>insulin aspart 100 unit/ml pen</i> | 60 ML / 30 DAYS |
| <i>insulin aspart 100 unit/ml vl</i> | 60 ML / 30 DAYS |
| <i>insulin aspart prot-insulin asp</i> | 60 ML / 30 DAYS |
| <i>insulin lispro 100 unit/ml pen</i> | 60 / 30 DAYS |
| <i>insulin lispro 100 unit/ml vl</i> | 60 / 30 DAYS |
| INTELENCE 100 MG TABLET | 120 / 30 DAYS |
| INTELENCE 200 MG TABLET | 60 / 30 DAYS |
| INTELENCE 25 MG TABLET | 180 / 30 DAYS |
| INVEGA SUSTENNA 117 MG/0.75 ML | 0.75 / 28 DAYS |
| INVEGA SUSTENNA 156 MG/ML SYRG | 1 / 28 DAYS |
| INVEGA SUSTENNA 234 MG/1.5 ML | 1.5 / 28 DAYS |
| INVEGA SUSTENNA 39 MG/0.25 ML | 0.25 / 28 DAYS |
| INVEGA SUSTENNA 78 MG/0.5 ML | 0.5 / 28 DAYS |
| INVEGA TRINZA 273 MG/0.875 ML | 0.875 / 84 DAYS |
| INVEGA TRINZA 410 MG/1.315 ML | 1.315 / 84 DAYS |
| INVEGA TRINZA 546 MG/1.75 ML | 1.75 / 84 DAYS |
| INVEGA TRINZA 819 MG/2.625 ML | 2.625 / 84 DAYS |
| INVIRASE 200 MG CAPSULE | 300 / 30 DAYS |
| INVIRASE 500 MG TABLET | 120 / 30 DAYS |
| INVOKAMET (50-1,000 MG TABLET, 50-500 MG TABLET, 150-1,000 MG TABLET, 150-500 MG TABLET) | 60 / 30 DAYS |
| INVOKAMET XR (50-1,000 MG TAB, 50-500 MG TABLET, 150-500 MG TABLET, 150-1,000 MG TAB) | 60 / 30 DAYS |

| I | |
|---|-----------------|
| INVOKANA 100 MG TABLET | 60 / 30 DAYS |
| INVOKANA 300 MG TABLET | 30 / 30 DAYS |
| IRESSA 250 MG TABLET | 30 / 30 DAYS |
| ISENTRESS (100 MG POWDER PACKET, 400 MG TABLET) | 60 / 30 DAYS |
| ISENTRESS (25 MG TABLET, 100 MG TABLET) | 180 / 30 DAYS |
| ISENTRESS HD 600 MG TABLET | 60 / 30 DAYS |
| J | |
| JAKAFI (5 MG TABLET, 10 MG TABLET, 15 MG TABLET, 20 MG TABLET, 25 MG TABLET) | 60 / 30 DAYS |
| JANUMET (50-500 MG TABLET, 50-1,000 MG TABLET) | 60 / 30 DAYS |
| JANUMET XR (50-1,000 MG TABLET, 50-500 MG TABLET) | 60 / 30 DAYS |
| JANUMET XR 100-1,000 MG TABLET | 30 / 30 DAYS |
| JANUVIA (25 MG TABLET, 50 MG TABLET, 100 MG TABLET) | 30 / 30 DAYS |
| JARDIANCE (10 MG TABLET, 25 MG TABLET) | 30 / 30 DAYS |
| JULUCA 50-25 MG TABLET | 30 / 30 DAYS |
| K | |
| KALETRA 100-25 MG TABLET | 300 / 30 DAYS |
| KALETRA 200-50 MG TABLET | 120 / 30 DAYS |
| KALYDECO (25 MG GRANULES PACKET, 50 MG GRANULES PACKET, 75 MG GRANULES PACKET, 150 MG TABLET) | 60 / 30 DAYS |
| KISQALI 200 MG DAILY DOSE | 21 / 28 DAYS |
| KISQALI 400 MG DAILY DOSE | 42 / 28 DAYS |
| KISQALI 600 MG DAILY DOSE | 63 / 28 DAYS |
| KISQALI FEMARA 200 MG CO-PACK | 49 / 28 DAYS |
| KISQALI FEMARA 400 MG CO-PACK | 70 / 28 DAYS |
| KISQALI FEMARA 600 MG CO-PACK | 91 / 28 DAYS |
| KOMBIGLYZE XR (5-500 MG TABLET, 5-1,000 MG TAB) | 30 / 30 DAYS |
| KOMBIGLYZE XR 2.5-1,000 MG TAB | 60 / 30 DAYS |
| L | |
| <i>lamivudine (150 mg tablet, 300 mg tablet)</i> | 60 / 30 DAYS |
| <i>lamivudine 10 mg/ml oral soln</i> | 900 / 30 DAYS |
| <i>lamivudine 100 mg tablet</i> | 60 / 30 DAYS |
| <i>lamivudine hbv 100 mg tablet</i> | 60 / 30 DAYS |
| <i>lamivudine-zidovudine tablet</i> | 60 / 30 DAYS |
| <i>lansoprazole (dr 15 mg capsule, dr 30 mg capsule)</i> | 60 / 30 DAYS |
| LANTUS 100 UNIT/ML VIAL | 60 ML / 30 DAYS |
| LANTUS SOLOSTAR 100 UNIT/ML | 60 ML / 30 DAYS |
| LATUDA (20 MG TABLET, 40 MG TABLET, 60 MG TABLET, 120 MG TABLET) | 30 / 30 DAYS |
| LATUDA 80 MG TABLET | 60 / 30 DAYS |
| LENVIMA (12 MG, 18 MG, 24 MG) | 90 / 30 DAYS |
| LENVIMA (4 MG CAPSULE, 10 MG DAILY DOSE) | 30 / 30 DAYS |
| LENVIMA (8 MG, 14 MG, 20 MG) | 60 / 30 DAYS |
| <i>levalbuterol tar hfa 45mcg inh</i> | 30 / 30 DAYS |
| LEXIVA 50 MG/ML SUSPENSION | 1800 / 30 DAYS |
| <i>lidocaine 5% patch</i> | 90 / 30 DAYS |
| <i>linezolid 100 mg/5 ml susp</i> | 1800 / 28 DAYS |
| <i>linezolid 600 mg tablet</i> | 56 / 28 DAYS |
| LINZESS (72 MCG CAPSULE, 145 MCG CAPSULE, 290 MCG CAPSULE) | 30 / 30 DAYS |

L

| | |
|--|-------------------------|
| <i>liteaire mdi chamber</i> | 1 / 365 DAYS OVER TIME |
| LONSURF 15 MG-6.14 MG TABLET | 107 / 28 DAYS |
| LONSURF 20 MG-8.19 MG TABLET | 80 / 28 DAYS |
| <i>lopinavir-ritonavir 80-20mg/ml</i> | 400 / 30 DAYS |
| <i>lorazepam (0.5 mg tablet, 1 mg tablet, 2 mg tablet)</i> | 120 / 30 DAYS |
| <i>lorazepam 2 mg/ml oral concent</i> | 120 ML / 30 DAYS |
| <i>lorazepam intensol 2 mg/ml</i> | 120 / 30 DAYS |
| LORBRENA 100 MG TABLET | 30 / 30 DAYS |
| LORBRENA 25 MG TABLET | 90 / 30 DAYS |
| <i>lorcet plus 7.5-325 mg tablet</i> | 120 / 30 DAYS OVER TIME |
| <i>loteprednol etabonate 0.5% drp</i> | 10 / 30 DAYS OVER TIME |
| LUMIGAN 0.01% EYE DROPS | 5 ML / 28 DAYS |
| LUPRON DEPOT (11.25 MG, 22.5 MG) | 1 / 84 DAYS OVER TIME |
| LUPRON DEPOT (3.75 MG, 7.5 MG) | 1 / 28 DAYS OVER TIME |
| LUPRON DEPOT 45 MG 6MO KIT | 1 / 180 DAYS OVER TIME |
| LUPRON DEPOT-4 MONTH KIT | 1 / 120 DAYS OVER TIME |
| LYNPARZA (100 MG TABLET, 150 MG TABLET) | 120 / 30 DAYS |
| LYNPARZA 50 MG CAPSULE | 480 / 30 DAYS |

M

| | |
|--|-------------------------|
| MAVYRET 100-40 MG TABLET | 84 / 28 DAYS |
| MEKINIST 0.5 MG TABLET | 90 / 30 DAYS |
| MEKINIST 2 MG TABLET | 30 / 30 DAYS |
| MEKTOVI 15 MG TABLET | 180 / 30 DAYS |
| <i>meperidine 50 mg/5 ml solution</i> | 600 / 30 DAYS OVER TIME |
| <i>meperidine hcl (50 mg tablet, 100 mg tablet)</i> | 120 / 30 DAYS OVER TIME |
| <i>mesalamine dr 400 mg capsule</i> | 180 / 30 DAYS |
| <i>mesalamine er 0.375 gram cap</i> | 120 / 30 DAYS |
| <i>metformin hcl 1,000 mg tablet</i> | 60 / 30 DAYS |
| <i>metformin hcl 500 mg tablet</i> | 150 / 30 DAYS |
| <i>metformin hcl 850 mg tablet</i> | 90 / 30 DAYS |
| <i>metformin hcl er 500 mg tablet</i> | 120 / 30 DAYS |
| <i>metformin hcl er 750 mg tablet</i> | 90 / 30 DAYS |
| <i>methadone 10 mg/ml oral conc</i> | 360 / 30 DAYS |
| <i>methadone hcl (5 mg tablet, 10 mg tablet)</i> | 240 / 30 DAYS |
| <i>methadone hcl (5 ml, 10 ml)</i> | 1800 ML / 30 DAYS |
| <i>methamphetamine 5 mg tablet</i> | 300 / 30 DAYS |
| <i>methylphenidate er (er 10 mg tab, er 20 mg tab)</i> | 90 / 30 DAYS |
| <i>methylphenidate er (er 18 mg tab, er 27 mg tab, er 54 mg tab)</i> | 30 / 30 DAYS |
| <i>methylphenidate er (la) (10mg, 20mg, 40mg)</i> | 30 / 30 DAYS |
| <i>methylphenidate er 36 mg tab</i> | 60 / 30 DAYS |
| <i>methylphenidate er(la) 30mg cp</i> | 60 / 30 DAYS |
| <i>methylphenidate hcl (5 mg tablet, 10 mg tablet, 20 mg tablet)</i> | 90 / 30 DAYS |
| <i>methylphenidate hcl cd (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap, 50 mg cap, 60 mg cap)</i> | 30 / 30 DAYS |
| <i>methylphenidate hcl er (cd) (10mg, 20mg, 30mg, 40mg, 50mg, 60mg)</i> | 30 / 30 DAYS |
| <i>methylphenidate la (10 mg cap, 20 mg cap, 40 mg cap, 60 mg cap)</i> | 30 / 30 DAYS |
| <i>methylphenidate la 30 mg cap</i> | 60 / 30 DAYS |

| M | |
|---|-------------------------|
| <i>microchamber</i> | 1 / 365 DAYS OVER TIME |
| <i>microspacer for aerosol device</i> | 1 / 365 DAYS OVER TIME |
| <i>mini-wright peak flow meter (mini wright, mini-wright)</i> | 1 / 365 DAYS OVER TIME |
| <i>modafinil 100 mg tablet</i> | 124 / 31 DAYS |
| <i>modafinil 200 mg tablet</i> | 62 / 31 DAYS |
| <i>montelukast sodium (4 mg granules, 4 mg tab chew, 5 mg tab chew, 10 mg tablet)</i> | 30 / 30 DAYS |
| <i>morphine sulf 100 mg/5 ml conc</i> | 300 / 30 DAYS OVER TIME |
| <i>morphine sulfate (ir 15 mg tab, ir 30 mg tab)</i> | 180 / 30 DAYS OVER TIME |
| <i>morphine sulfate er (er 15 mg tablet, er 30 mg tablet)</i> | 120 / 30 DAYS |
| <i>morphine sulfate er (er 60 mg tablet, er 100 mg tablet, er 200 mg tablet)</i> | 60 / 30 DAYS |
| MYRBETRIQ (ER 25 MG TABLET, ER 50 MG TABLET) | 30 / 30 DAYS |
| N | |
| <i>naratriptan (1 mg tablet, 2.5 mg tablet)</i> | 9 / 30 DAYS OVER TIME |
| <i>naratriptan hcl (1 mg tablet, 2.5 mg tablet)</i> | 9 / 30 DAYS OVER TIME |
| <i>nateglinide (60 mg tablet, 120 mg tablet)</i> | 90 / 30 DAYS |
| NERLYNX 40 MG TABLET | 180 / 30 DAYS |
| <i>nevirapine 200 mg tablet</i> | 60 / 30 DAYS |
| <i>nevirapine 50 mg/5 ml susp</i> | 1200 / 30 DAYS |
| <i>nevirapine er 100 mg tablet</i> | 90 / 30 DAYS |
| <i>nevirapine er 400 mg tablet</i> | 30 / 30 DAYS |
| NEXAVAR 200 MG TABLET | 120 / 30 DAYS |
| <i>nilutamide 150 mg tablet</i> | 30 / 30 DAYS |
| NINLARO (2.3 MG CAPSULE, 3 MG CAPSULE, 4 MG CAPSULE) | 3 / 28 DAYS |
| NORTHERA (100 MG CAPSULE, 200 MG CAPSULE, 300 MG CAPSULE) | 84 / 14 DAYS |
| NORVIR 80 MG/ML SOLUTION | 480 / 30 DAYS |
| NOVOLOG (100 VIAL, 100 CARTRIDGE) | 60 ML / 30 DAYS |
| NOVOLOG 100 UNIT/ML FLEXPEN | 60 ML / 30 DAYS |
| NOVOLOG MIX 70-30 FLEXPEN | 60 ML / 30 DAYS |
| NOVOLOG MIX 70-30 VIAL | 60 ML / 30 DAYS |
| NUBEQA 300 MG TABLET | 120 / 30 DAYS |
| O | |
| ODEFSEY TABLET | 30 / 30 DAYS |
| ODOMZO 200 MG CAPSULE | 30 / 30 DAYS |
| <i>olanzapine (2.5 mg tablet, 5 mg tablet, 7.5 mg tablet, 10 mg tablet, 20 mg tablet)</i> | 30 / 30 DAYS |
| <i>olanzapine 15 mg tablet</i> | 60 / 30 DAYS |
| <i>olanzapine odt (odt 5 mg tablet, odt 10 mg tablet, odt 20 mg tablet)</i> | 30 / 30 DAYS |
| <i>olanzapine odt 15 mg tablet</i> | 60 / 30 DAYS |
| <i>omeprazole (dr 10 mg capsule, dr 20 mg capsule)</i> | 90 / 30 DAYS |
| <i>omeprazole dr 40 mg capsule</i> | 120 / 30 DAYS |
| <i>ondansetron 4 mg/5 ml solution</i> | 450 / 30 DAYS |
| <i>ondansetron odt 4 mg tablet</i> | 90 / 30 DAYS |
| <i>ondansetron odt 8 mg tablet</i> | 45 / 30 DAYS |
| ONGLYZA (2.5 MG TABLET, 5 MG TABLET) | 30 / 30 DAYS |
| <i>optichamber diamond (vhc, w-lrg mask, w-med mask, w-sml mask)</i> | 1 / 365 DAYS OVER TIME |
| ORKAMBI (100 MG TABLET, 200 MG TABLET) | 120 / 30 DAYS |
| ORKAMBI (100-125 MG, 150-188 MG) | 60 / 30 DAYS |
| <i>oseltamivir phos 30 mg capsule</i> | 84 / 180 DAYS OVER TIME |

| O | |
|---|-------------------------|
| <i>oseltamivir phosphate (45 mg capsule, 75 mg capsule)</i> | 42 / 180 DAYS OVER TIME |
| OSPHENA 60 MG TABLET | 30 / 30 DAYS |
| OTEZLA (, 28 DAY) | 55 / 28 DAYS |
| OTEZLA 30 MG TABLET | 60 / 30 DAYS |
| <i>oxazepam (10 mg capsule, 15 mg capsule, 30 mg capsule)</i> | 120 / 30 DAYS |
| <i>oxybutynin chloride er (er 10 mg tablet, er 15 mg tablet)</i> | 60 / 30 DAYS |
| <i>oxybutynin cl er 5 mg tablet</i> | 30 / 30 DAYS |
| <i>oxycodone hcl (5 mg tablet, 10 mg tablet, 15 mg tablet, 20 mg tablet, 30 mg tablet)</i> | 180 / 30 DAYS OVER TIME |
| <i>oxycodone hcl er (er 10 mg tablet, er 15 mg tablet, er 20 mg tablet, er 30 mg tablet, er 40 mg tablet, er 60 mg tablet, er 80 mg tablet)</i> | 60 / 30 DAYS |
| <i>oxycodone-acetaminophen (oxycodon-acetaminophen 7.5-325, oxycodone-acetaminophen 5-325, oxycodone-acetaminophen 10-325)</i> | 120 / 30 DAYS OVER TIME |
| <i>oxycodone-aspirin 4.8355-325</i> | 120 / 30 DAYS OVER TIME |
| OXYCONTIN (ER 10 MG TABLET, ER 15 MG TABLET, ER 20 MG TABLET, ER 30 MG TABLET, ER 40 MG TABLET, ER 60 MG TABLET, ER 80 MG TABLET) | 60 / 30 DAYS |
| P | |
| <i>paliperidone er 1.5 mg tablet</i> | 240 / 30 DAYS |
| <i>paliperidone er 3 mg tablet</i> | 120 / 30 DAYS |
| <i>paliperidone er 6 mg tablet</i> | 60 / 30 DAYS |
| <i>paliperidone er 9 mg tablet</i> | 30 / 30 DAYS |
| <i>pantoprazole sodium (dr 20 mg tab, dr 40 mg tab)</i> | 60 / 30 DAYS |
| PERSERIS (ER 90 MG, ER 120 MG) | 1 / 28 DAYS |
| <i>phentermine hcl (15 mg capsule, 30 mg capsule, 37.5 mg tablet, 37.5 mg capsule)</i> | 30 / 30 DAYS |
| PIFELTRO 100 MG TABLET | 30 / 30 DAYS |
| <i>pimecrolimus 1% cream</i> | 30 / 30 DAYS OVER TIME |
| PIQRAY (250 MG, 300 MG) | 60 / 30 DAYS |
| PIQRAY 200 MG DAILY DOSE | 30 / 30 DAYS |
| <i>pocket chamber</i> | 1 / 365 DAYS OVER TIME |
| POMALYST (1 MG CAPSULE, 2 MG CAPSULE, 3 MG CAPSULE, 4 MG CAPSULE) | 21 / 28 DAYS |
| <i>prasugrel hcl (5 mg tablet, 10 mg tablet)</i> | 30 / 30 DAYS |
| <i>pregabalin (25 mg capsule, 50 mg capsule, 75 mg capsule, 100 mg capsule, 150 mg capsule, 200 mg capsule, 225 mg capsule, 300 mg capsule)</i> | 90 / 30 DAYS |
| <i>pregabalin 20 mg/ml solution</i> | 900 ML / 30 DAYS |
| PREZCOBIX 800 MG-150 MG TABLET | 30 / 30 DAYS |
| PREZISTA 100 MG/ML SUSPENSION | 420 / 30 DAYS |
| PREZISTA 150 MG TABLET | 180 / 30 DAYS |
| PREZISTA 600 MG TABLET | 60 / 30 DAYS |
| PREZISTA 75 MG TABLET | 300 / 30 DAYS |
| PREZISTA 800 MG TABLET | 30 / 30 DAYS |
| <i>primeaire chamber</i> | 1 / 365 DAYS OVER TIME |
| <i>pro comfort spacer with mask (spacer-adult, spacer-child)</i> | 1 / 365 DAYS OVER TIME |
| PROAIR HFA 90 MCG INHALER | 17 / 30 DAYS |
| <i>procare spacer with adult mask</i> | 1 / 365 DAYS OVER TIME |
| <i>procare spacer with child mask</i> | 1 / 365 DAYS OVER TIME |
| <i>prochamber holding chamber</i> | 1 / 365 DAYS OVER TIME |
| PROMACTA (12.5 MG TABLET, 25 MG TABLET) | 30 / 30 DAYS |
| PROMACTA (50 MG TABLET, 75 MG TABLET) | 60 / 30 DAYS |

| P | |
|---|------------------------|
| PROMACTA 12.5 MG SUSPEN PACKET | 180 / 30 DAYS |
| PULMOZYME 1 MG/ML AMPUL | 150 / 30 DAYS |
| PURIXAN 20 MG/ML ORAL SUSP | 300 ML / 30 DAYS |
| Q | |
| <i>quetiapine er 400 mg tablet</i> | 90 / 30 DAYS |
| <i>quetiapine er 50 mg tablet</i> | 60 / 30 DAYS |
| <i>quetiapine fumarate (25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab, 300 mg tab, 400 mg tab)</i> | 90 / 30 DAYS |
| <i>quetiapine fumarate er (er 150 mg tablet, er 200 mg tablet, er 300 mg tablet)</i> | 30 / 30 DAYS |
| QVAR REDIHALER (40 MCG, 80 MCG) | 21.2 / 30 DAYS |
| R | |
| <i>rabeprazole sod dr 20 mg tab</i> | 60 / 30 DAYS |
| <i>ramelteon 8 mg tablet</i> | 30 / 30 DAYS |
| REBIF (22 ML, 44 ML) | 6 / 28 DAYS |
| REBIF REBIDOSE (22 ML, 44 ML) | 6 / 28 DAYS |
| REBIF REBIDOSE TITRATION PACK | 4.2 / 28 DAYS |
| REBIF TITRATION PACK | 4.2 / 28 DAYS |
| RECTIV 0.4% OINTMENT | 30 / 30 DAYS OVER TIME |
| REGRANEX 0.01% GEL | 15 / 31 DAYS OVER TIME |
| <i>repaglinide (1 mg tablet, 2 mg tablet)</i> | 240 / 30 DAYS |
| <i>repaglinide 0.5 mg tablet</i> | 120 / 30 DAYS |
| RESTASIS 0.05% EYE EMULSION | 60 / 30 DAYS |
| RESTASIS MULTIDOSE 0.05% EYE | 5.5 / 30 DAYS |
| RETACRIT (2,000 VIAL, 3,000 VIAL, 4,000 VIAL, 10,000 VIAL, 40,000 VIAL) | 12 / 28 DAYS |
| REVLIMID (2.5 MG CAPSULE, 5 MG CAPSULE, 10 MG CAPSULE, 15 MG CAPSULE, 20 MG CAPSULE, 25 MG CAPSULE) | 30 / 30 DAYS |
| REXULTI (0.25 MG TABLET, 0.5 MG TABLET, 1 MG TABLET, 2 MG TABLET, 3 MG TABLET, 4 MG TABLET) | 30 / 30 DAYS |
| REYATAZ 50 MG POWDER PACKET | 240 / 30 DAYS |
| RHOPRESSA 0.02% OPHTH SOLUTION | 5 ML / 30 DAYS |
| <i>riteflo spacer</i> | 1 / 365 DAYS OVER TIME |
| <i>ritonavir 100 mg tablet</i> | 360 / 30 DAYS |
| <i>rivastigmine (4.6 patch, 9.5 patch, 13.3 ptch)</i> | 30 / 30 DAYS |
| <i>rizatriptan (5 mg tablet, 5 mg odt, 10 mg tablet, 10 mg odt)</i> | 12 / 30 DAYS OVER TIME |
| ROZLYTREK 100 MG CAPSULE | 150 / 30 DAYS |
| ROZLYTREK 200 MG CAPSULE | 90 / 30 DAYS |
| RUBRACA (200 MG TABLET, 250 MG TABLET, 300 MG TABLET) | 120 / 30 DAYS |
| RYDAPT 25 MG CAPSULE | 240 / 30 DAYS |
| S | |
| <i>scopolamine 1 mg/3 day patch</i> | 10 / 30 DAYS |
| SELZENTRY (25 MG TABLET, 75 MG TABLET, 150 MG TABLET, 300 MG TABLET) | 120 / 30 DAYS |
| SELZENTRY 20 MG/ML ORAL SOLN | 1840 / 30 DAYS |
| <i>sofosbuvir-velpatasvir 400-100</i> | 28 / 28 DAYS |
| <i>space chamber plus</i> | 1 / 365 DAYS OVER TIME |
| SPIRIVA 18 MCG CP-HANDIHALER | 30 / 30 DAYS |
| SPIRIVA RESPIMAT (1.25 MCG, 2.5 MCG) | 4 / 30 DAYS |
| SPRAVATO 56 MG DOSE PACK | 8 / 28 DAYS |
| SPRAVATO 84 MG DOSE PACK | 7 / 28 DAYS |

| S | |
|--|-------------------------|
| SPRYCEL (20 MG TABLET, 50 MG TABLET, 80 MG TABLET, 100 MG TABLET, 140 MG TABLET) | 30 / 30 DAYS |
| SPRYCEL 70 MG TABLET | 60 / 30 DAYS |
| STIOLTO RESPIMAT INHAL SPRAY | 4 / 30 DAYS |
| STIVARGA 40 MG TABLET | 84 / 28 DAYS |
| STRIBILD TABLET | 30 / 30 DAYS |
| SUBLOCADE 100 MG/0.5 ML SYRING | 0.5 / 30 DAYS OVER TIME |
| SUBLOCADE 300 MG/1.5 ML SYRING | 1.5 / 30 DAYS OVER TIME |
| <i>sumatriptan (5 mg, 20 mg)</i> | 12 / 30 DAYS OVER TIME |
| <i>sumatriptan 6 mg/0.5 ml syrng</i> | 4 / 30 DAYS |
| <i>sumatriptan succinate (25 mg tablet, 50 mg tablet, 100 mg tablet)</i> | 9 / 30 DAYS OVER TIME |
| <i>sumatriptan succinate (4 ml inject, 4 ml cart, 6 ml refill, 6 ml vial, 6 ml inject)</i> | 4 / 30 DAYS OVER TIME |
| SUTENT (12.5 MG CAPSULE, 25 MG CAPSULE, 37.5 MG CAPSULE, 50 MG CAPSULE) | 30 / 30 DAYS |
| SYLATRON (200 MCG, 300 MCG, 600 MCG) | 4 / 28 DAYS |
| SYMBICORT (80-4.5 MCG, 160-4.5 MCG) | 11 / 30 DAYS |
| SYMFI 600-300-300 MG TABLET | 30 / 30 DAYS |
| SYMFI LO 400-300-300 MG TABLET | 30 / 30 DAYS |
| SYMPAZAN (5 MG, 10 MG, 20 MG) | 60 / 30 DAYS |
| SYMTUZA 800-150-200-10 MG TAB | 30 / 30 DAYS |
| SYNJARDY (5-1,000 MG TABLET, 5-500 MG TABLET, 12.5-500 MG TABLET, 12.5-1,000 MG TABLET) | 60 / 30 DAYS |
| SYNJARDY XR (5-1,000 MG TABLET, 10-1,000 MG TABLET, 12.5-1,000 MG TAB) | 60 / 30 DAYS |
| SYNJARDY XR 25-1,000 MG TABLET | 30 / 30 DAYS |
| SYNRIBO 3.5 MG/ML VIAL | 28 / 28 DAYS |

| T | |
|--|-------------------------|
| <i>tacrolimus (0.03%, 0.1%)</i> | 30 / 30 DAYS OVER TIME |
| <i>tadalafil 20 mg tablet</i> | 60 / 30 DAYS |
| TAFINLAR (50 MG CAPSULE, 75 MG CAPSULE) | 120 / 30 DAYS |
| TAGRISSO (40 MG TABLET, 80 MG TABLET) | 30 / 30 DAYS |
| TALZENNA 0.25 MG CAPSULE | 90 / 30 DAYS |
| TALZENNA 1 MG CAPSULE | 30 / 30 DAYS |
| TASIGNA (50 MG CAPSULE, 150 MG CAPSULE, 200 MG CAPSULE) | 120 / 30 DAYS |
| TAVALISSE (100 MG TABLET, 150 MG TABLET) | 60 / 30 DAYS |
| TECFIDERA (DR 120 MG CAPSULE, DR 240 MG CAPSULE, STARTER PACK) | 60 / 30 DAYS |
| <i>temazepam (7.5 mg capsule, 15 mg capsule, 22.5 mg capsule, 30 mg capsule)</i> | 30 / 30 DAYS |
| <i>tenofovir disop fum 300 mg tb</i> | 30 / 30 DAYS |
| THALOMID (150 MG CAPSULE, 200 MG CAPSULE) | 60 / 30 DAYS |
| THALOMID (50 MG CAPSULE, 100 MG CAPSULE) | 30 / 30 DAYS |
| TIBSOVO 250 MG TABLET | 60 / 30 DAYS |
| TIVICAY (10 MG TABLET, 25 MG TABLET, 50 MG TABLET) | 60 / 30 DAYS |
| <i>tolterodine tartrate (1 mg tab, 2 mg tab)</i> | 60 / 30 DAYS |
| <i>tolterodine tartrate er (er 2 mg cap, er 4 mg cap)</i> | 30 / 30 DAYS |
| TRACLEER 32 MG TABLET FOR SUSP | 124 / 31 DAYS |
| <i>tramadol hcl 50 mg tablet</i> | 240 / 30 DAYS OVER TIME |
| <i>tramadol hcl er (er 100 mg tablet, er 200 mg tablet, er 300 mg tablet)</i> | 30 / 30 DAYS |
| <i>tramadol-acetaminophn 37.5-325</i> | 240 / 30 DAYS OVER TIME |
| <i>travoprost 0.004% eye drop</i> | 5 ML / 28 DAYS |
| TRELSTAR 11.25 MG VIAL | 1 / 84 DAYS OVER TIME |

| T | |
|---|------------------------|
| TRELSTAR 22.5 MG VIAL | 1 / 168 DAYS OVER TIME |
| TRELSTAR 3.75 MG VIAL | 1 / 28 DAYS OVER TIME |
| TRIUMEQ 600-50-300 MG TABLET | 30 / 30 DAYS |
| TRULICITY (0.75 ML, 1.5 ML) | 2 / 28 DAYS |
| TRUVADA (100 MG-150 MG TABLET, 133 MG-200 MG TABLET, 167 MG-250 MG TABLET, 200 MG-300 MG TABLET) | 30 / 30 DAYS |
| <i>truzone peak flow meter</i> | 1 / 365 DAYS OVER TIME |
| TURALIO 200 MG CAPSULE | 120 / 30 DAYS |
| TYBOST 150 MG TABLET | 30 / 30 DAYS |
| TYKERB 250 MG TABLET | 180 / 30 DAYS |
| V | |
| <i>valganciclovir 450 mg tablet</i> | 102 / 30 DAYS |
| <i>vancomycin hcl (125 mg capsule, 250 mg capsule)</i> | 56 / 14 DAYS |
| VELPHORO 500 MG CHEWABLE TAB | 180 / 30 DAYS |
| VEMLIDY 25 MG TABLET | 30 / 30 DAYS |
| VENCLEXTA 10 MG TABLET | 60 / 30 DAYS |
| VENCLEXTA 100 MG TABLET | 120 / 30 DAYS |
| VENCLEXTA 50 MG TABLET | 30 / 30 DAYS |
| VENCLEXTA STARTING PACK | 42 / 28 DAYS |
| VENTOLIN HFA 90 MCG INHALER | 36 / 30 DAYS |
| VERZENIO (50 MG TABLET, 100 MG TABLET, 150 MG TABLET, 200 MG TABLET) | 60 / 30 DAYS |
| VICTOZA 2-PAK 18 MG/3 ML PEN | 9 / 30 DAYS |
| VICTOZA 3-PAK 18 MG/3 ML PEN | 9 / 30 DAYS |
| <i>vigabatrin (500 mg tablet, 500 mg powder packt)</i> | 180 / 30 DAYS |
| VIMPAT (50 MG TABLET, 100 MG TABLET, 150 MG TABLET, 200 MG TABLET) | 60 / 30 DAYS |
| VIRAMUNE 50 MG/5 ML SUSP | 1200 / 30 DAYS |
| VITRAKVI 100 MG CAPSULE | 60 / 30 DAYS |
| VITRAKVI 20 MG/ML SOLUTION | 300 ML / 30 DAYS |
| VITRAKVI 25 MG CAPSULE | 180 / 30 DAYS |
| VIVITROL 380 MG VIAL + DILUENT | 1 / 28 DAYS OVER TIME |
| VIZIMPRO (15 MG TABLET, 30 MG TABLET, 45 MG TABLET) | 30 / 30 DAYS |
| <i>voriconazole (50 mg tablet, 200 mg tablet)</i> | 28 / 14 DAYS |
| <i>vortex holding chamber</i> | 1 / 365 DAYS OVER TIME |
| <i>vortex holding chamber-child</i> | 1 / 365 DAYS OVER TIME |
| <i>vortex holding chamber-toddler</i> | 1 / 365 DAYS OVER TIME |
| <i>vortex vhc frog child mask</i> | 1 / 365 DAYS OVER TIME |
| <i>vortex vhc ladybug toddler msk</i> | 1 / 365 DAYS OVER TIME |
| VOSEVI 400-100-100 MG TABLET | 28 / 28 DAYS |
| VOTRIENT 200 MG TABLET | 120 / 30 DAYS |
| VYVANSE (10 MG CHEWABLE TABLET, 10 MG CAPSULE, 20 MG CHEWABLE TABLET, 20 MG CAPSULE, 30 MG CHEWABLE TABLET, 30 MG CAPSULE, 40 MG CAPSULE, 40 MG CHEWABLE TABLET, 50 MG CAPSULE, 50 MG CHEWABLE TABLET, 60 MG CHEWABLE TABLET, 60 MG CAPSULE, 70 MG CAPSULE) | 30 / 30 DAYS |
| VYZULTA 0.024% OPHTH SOLUTION | 5 ML / 28 DAYS |
| W | |
| <i>wixela inhub (100-50, 250-50, 500-50)</i> | 60 / 30 DAYS |
| X | |
| XALKORI (200 MG CAPSULE, 250 MG CAPSULE) | 60 / 30 DAYS |

| X | |
|--|--------------------------|
| XARELTO (10 MG TABLET, 15 MG TABLET, 20 MG TABLET) | 30 / 30 DAYS |
| XARELTO 2.5 MG TABLET | 60 / 30 DAYS |
| XARELTO STARTER PACK | 102 / 365 DAYS OVER TIME |
| XELJANZ (5 MG TABLET, 10 MG TABLET) | 60 / 30 DAYS |
| XELJANZ XR (11 MG TABLET, 22 MG TABLET) | 30 / 30 DAYS |
| XGEVA 120 MG/1.7 ML VIAL | 6.8 ML / 28 DAYS |
| XIIDRA 5% EYE DROPS | 60 / 30 DAYS |
| XOFLUZA (20 MG TAB (40 MG, 40 MG TAB (80 MG) | 2 / 30 DAYS OVER TIME |
| XOLAIR (150 MG/ML SYRINGE, 150 MG VIAL) | 6 / 28 DAYS OVER TIME |
| XOLAIR 75 MG/0.5 ML SYRINGE | 10 / 28 DAYS OVER TIME |
| XOSPATA 40 MG TABLET | 90 / 30 DAYS |
| XPOVIO 100 MG ONCE WEEKLY DOSE | 20 / 28 DAYS |
| XPOVIO 60 MG ONCE WEEKLY DOSE | 12 / 28 DAYS |
| XPOVIO 80 MG ONCE WEEKLY DOSE | 16 / 28 DAYS |
| XPOVIO 80 MG TWICE WEEKLY DOSE | 32 / 28 DAYS |
| XTANDI 40 MG CAPSULE | 120 / 30 DAYS |
| Y | |
| YONSA 125 MG TABLET | 120 / 30 DAYS |
| Z | |
| <i>zafirlukast (10 mg tablet, 20 mg tablet)</i> | 60 / 30 DAYS |
| ZEJULA 100 MG CAPSULE | 90 / 30 DAYS |
| ZELBORAF 240 MG TABLET | 240 / 30 DAYS |
| ZEPATIER 50-100 MG TABLET | 28 / 28 DAYS |
| <i>zidovudine 100 mg capsule</i> | 180 / 30 DAYS |
| <i>zidovudine 300 mg tablet</i> | 60 / 30 DAYS |
| <i>zidovudine 50 mg/5 ml syrup</i> | 1920 / 30 DAYS |
| ZIOPTAN 0.0015% EYE DROPS | 30 / 30 DAYS |
| ZOLINZA 100 MG CAPSULE | 120 / 30 DAYS |
| <i>zolpidem tartrate (5 mg tablet, 10 mg tablet)</i> | 30 / 30 DAYS |
| ZYDELIG (100 MG TABLET, 150 MG TABLET) | 60 / 30 DAYS |
| ZYKADIA (150 MG CAPSULE, 150 MG TABLET) | 90 / 30 DAYS |